



| POULIE PULLEY - POLEA - POLIA | |
|--|---------------|
| 50x14 mm | 3431541172203 |
| 50x19 mm | 3431541172258 |
| 50x24 mm | 3431541172302 |
| 80x19 mm | 3431541172401 |
| 80x24 mm | 3431541172456 |
| 80x28 mm | 3431541172654 |
| 120x14 mm | 3431541172500 |
| 120x19 mm | 3431541172555 |
| 120x24 mm | 3431541172609 |
| 120x28 mm | 3431541172708 |
| Poulie trapezoidale 13x8 mm Trapezoidal pulley 13x8 mm Poleas trapezoidales 13x8 mm Trapezoidales polia 13x8 mm | |



| MOTEUR - MOTOR - MOTORES - MOTORE | | | | | |
|--|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Gencode | 3431541171060 | 3431541171114 | 3431541171169 | 3431541171367 | 343154117141 |
|  Puissance - Motor Power - Potencia del motor - Potência do motor | 1 CV (Alu) 736 W | 2 CV (Alu) 1472 W | 3 CV (Alu) 2208 W | 2 CV (Alu) 1472 W | 3 CV (Alu) 2208 W |
|  Vitesse de rotation / Nombre de pôles bobinage - Rotation speed / Windings poles number - Velocidad de rotación / muchos polos bobinados - Velocidade de rotação / de números pólos bobinages | 1500 min ⁻¹ 4 P | 1500 min ⁻¹ 4 P | 1500 min ⁻¹ 4 P | 3000 min ⁻¹ 2 P | 3000 min ⁻¹ 2 P |
| V | 80 mm | 90 mm | 100 mm | 80 mm | 90 mm |
| W | 19 mm | 24 mm | 28 mm | 19 mm | 24 mm |
| X | 125 mm | 140 mm | 160 mm | 125 mm | 140 mm |
| Y | 100 mm | 100 mm | 140 mm | 100 mm | 100 mm |
| Z | 40 mm | 50 mm | 60 mm | 40 mm | 50 mm |

IP54 / Disjoncteur thermique - IP 54 / Thermal circuit breaker - Disyuntor térmico / IP 54 - IP 54 / Disjuntor térmico

